



Climate Report Card

VICTORIA & TASMANIA

JUNE 2026



SEA CHANGE
AUSTRALIA

Australia's Changing Climate

What is climate change?

Increases in greenhouse gases lead to changes in the atmosphere and the physical and biogeochemical ocean environment.

Australia's sea surface temperature (SST) has warmed by over 1 °C since 1900¹. Ongoing ocean warming contributes to longer and more frequent marine heatwaves. As waters warm, they also become more stratified – altering circulation and currents and reducing nutrient availability in surface waters.

Increased atmospheric CO₂ increases how much is absorbed by the ocean, leading to shifts in ocean chemistry and ocean acidification.




Image credit²



What impacts are expected for the seafood sector?

The seafood we eat relies on healthy marine ecosystems. Ecosystem productivity can be impacted through changing nutrient cycles, increasing temperatures, and habitat loss. Shallow coastal and estuarine ecosystems are particularly vulnerable to climate change.

The impact of climate change on the seafood sector will vary by the degree of exposure to physical change and species vulnerability.

Image credit: Moon Cheese Studio

How to use this report



Use **page 2** to find information on SST changes over the past year and forecasts for the next two months in your area.



Use **pages 3-4** to learn about potential future ocean conditions due to climate change. These projections are based on a 'business as usual' scenario and show two global warming levels: 1.5°C (expected around 2015-2034) and 2°C (expected around 2030-2049). The Paris Agreement aims to limit global warming to well below 2°C above pre-industrial levels.



Report your climate observations and go 'Fishing for Climate Answers'

Check out the [Sea Change Australia](https://www.seachangeaustralia.org.au) website to log potential climate related observations in your area and submit your climate questions. Our team connects your questions with climate and fisheries experts who provide clear, practical answers.



LOOK FOR THIS
SYMBOL FOR THE
KEY MESSAGES



Climate Report Card

VICTORIA & TASMANIA


JUNE 2026



SEA CHANGE
AUSTRALIA

Observed SST anomalies in 2025-26

Sea Surface Temperature Anomalies: May-2025 to Apr-2026



The graphic shows monthly SST anomalies from May 2025 to Apr 2026 (base period 1993-2016)³. Average and anomalously warm waters have persisted in the Bass Strait and the east coast from May-Oct 2025. Cooler than average waters were present across much of the domain over summer (Nov 2025 - Feb 2026). Marine heatwave conditions have occurred off east Tasmania from March-Apr 2026⁴.


Similar SST anomaly maps from BOM can be accessed [here](#).



Waters have alternated between being warmer or cooler than usual over 2025-2026.

Forecast Conditions: Jun-Jul 2026

Australia Sea Surface Temperature Anomaly Outlook



See BOM for seasonal forecast outlooks for SST

Monthly SST anomalies are forecast to remain anomalously warm from Jun-Jul 2026⁵. Forecasts are updated regularly and can be accessed [here](#).



Climate Report Card

VICTORIA & TASMANIA

JUNE 2026



SEA CHANGE
AUSTRALIA

Projected Change: Ocean Warming

Baseline

Projected




Waters are projected to warm, with longer-lasting marine heatwaves.

SSTs are projected to increase under climate change. The degree of warming is highest in the east.


Marine heatwaves are projected to increase in duration, and this pattern is highest in the east. Under a 2°C global warming level (~2030-2049), this region is projected to experience marine heatwave conditions for much of the year (relative to the baseline).

Bottom temperatures are projected to increase under climate change. The degree of warming is highest in shallow waters on the continental shelf, and particularly the eastern continental shelf.


Sea Surface Temperature



Marine Heatwave Duration



Bottom Temperature



Climate projections are from the Ocean Forecasting Australian Model (OFAM), which is a spatially-downscaled ocean model⁶. Projections are based on a 'business as usual' scenario (CMIP5) and show two global warming levels: 1.5°C (expected around 2015-2034) and 2°C (expected around 2030-2049) relative to a historical baseline (2001-2020).



Climate Report Card

VICTORIA & TASMANIA

JUNE 2026




SEA CHANGE
AUSTRALIA

Projected Change: Ecosystem Productivity


Baseline

Projected



Productivity is projected to decline but is uncertain.


Projections of **net primary productivity**, the base of the marine food web, show decreases in the north-east and increases in other areas. Projections are highly uncertain⁶.



Ecosystem models project changes in the biomass available to fisheries (animals 10g - 100kg) under a 2.0°C global warming level.

On average, there is a decline in biomass, but this is uncertain. Minimum and maximum biomass estimates show divergent patterns.

Biomass is estimated from 6 ecosystem models projected under CMIP6⁷. Ecosystem models integrate temperature, oxygen, salinity, acidity, nutrients, & primary productivity, among other variables.



Climate adaptation in action

Recreational fishers in Tasmania are noticing major changes to what they catch and where they catch it. Climate change is bringing new species further south, including pink snapper and yellowtail kingfish, both prime eating fish. Species that were once an occasional catch have now become target species, with recreational fishers from all over Tasmania reporting changes in target species. *Check out our video about it here:*

<https://seachangeaustralia.org/story/adapting-the-catch-recreational-fishing-through-change-in-tasmania/>



Produced by CSIRO in partnership with Sea Change Australia.

Sources: ¹BOM State Of the Climate 2024 ²Fulton et al., 2021

³CMEMS ⁴MHW Tracker ⁵BOM ⁶CSIRO ⁷Blanchard and Novaglio 2024

Regional Partners: University of Tasmania

How to cite: <https://doi.org/10.2.100.100/706875>